

Docket Number EHFP139US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of:	:		
	:		
Inventor(s):	:	Art Unit:	2618
	:		
Patent No.:	:	Examiner:	Blane J. Jackson
	:		
Issue Date:	:	Serial No.:	10/822,544
	:		
Title:	:		
INTEGRATED TRANSCEIVER CIRCUIT WITH LOW INTERFERENCE PRODUCTION AND SENSITIVITY			

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION
OF PATENT FOR APPLICANTS' MISTAKE AND PTO'S MISTAKE**

Sir:

1. It is noted that errors appear in this patent of a clerical, typographical and minor nature or character as more fully described below, in Appendix A, and occurred in good faith and correction thereof does not involve such changes in the patent as would constitute new matter or would require reexamination and a certificate of correction is requested.

2. Attached hereto, in duplicate, is form PTO-1050 suitable for printing.

3. The exact page and line number where the errors (or lack of error, in the event of a mistake by the Patent Office) occur in the application file are:

Column 4, line 59
Column 7, line 40
Column 8, line 6, claim 6
Column 8, line 38

4. A fee is believed to be necessary since the errors that occurred are typographical errors made by the Applicant(s) in good faith. Accordingly, please charge the fee as required by 37 CFR 1.20(a), as follows:

☐ enclosed is a check for \$100.00

☒ charge our credit card for the sum of \$100.00.

5. Please send the Certificate to

Name: Thomas G. Eschweiler

Address Eschweiler & Associates, LLC
National City Bank Building
629 Euclid Avenue, Suite 1000
Cleveland, Ohio 44114

Date: September 3, 2008 /Thomas G. Eschweiler/
Thomas G. Eschweiler
Registration No. 36,981

ESCHWEILER & ASSOCIATES, LLC
National City Bank Building
629 Euclid Avenue, Suite 1000
Cleveland Ohio 44114
Telephone: (216) 502-0600
Facsimile: (216) 502-0601

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,398,074

Issued: July 8, 2008

Patentee(s): Peter Pfann
Zdravko BoosTitle: INTEGRATED TRANSCEIVER CIRCUIT WITH LOW INTERFERENCE
PRODUCTION AND SENSITIVITY**APPENDIX A**

The above-captioned Letters Patent contains a number of typographical errors made by the Patent Office and the Applicants. Specifically, the errors are as follows:

Column 4, line 59: Please delete the number "20" at the end of the line.

Column 7, line 40: Please replace the word "rath" with the word --path--.

Column 8, line 6, claim 6: Please replace the number "4" with the number --2--.

Column 8, line 38: Please replace the word "an" with the word --a--.

These errors are typographical in nature and were committed by both the Patent Office and the Applicants. Furthermore, correction of these errors does not require such changes in the patent as would constitute new matter or would require re-examination. Therefore, a certificate of correction is respectfully requested.

A fee of \$100.00 is believed due under 37 C.F.R. §1.20(a).

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,398,074
APPLICATION NO. : 10/822,544
ISSUE DATE : July 8, 2008
INVENTOR(S) : Peter Pfann
Zdravko Boos

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4, line 59: Please delete the number "20" at the end of the line.

Column 7, line 40: Please replace the word "rath" with the word --path--.

Column 8, line 6, claim 6: Please replace the number "4" with the number --2--.

Column 8, line 38: Please replace the word "an" with the word --a--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Eschweiler & Associates, LLC
National City Bank Building
629 Euclid Avenue, Suite 1000
Cleveland, Ohio 44114

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.